## IN THE CLAIMS:

## Please amend the following claims:

- 1. (Amended)  $\underline{\mathbf{A}}$  fusion transcript consisting of a homologue cross-over between two different genes with more than 80% sequence homology in certain regions, in particular regions of cross-over.
- 2. (Amended) A fusion transcript according to claim 1, wherein the two genes are the genes of SCCA1 and SCCA2.
- 3. (Amended) A full length fusion transcript protein between SCCA1 and SCCA2 having switched reactive site loops compared to basic promoter.
- 4. (Amended) <u>A</u> substantially full length fusion transcript protein between SCCA1 and SCCA2 having switched reactive site loops compared to basic promoter.
- 5. (Original) A fusion protein according to claim 4 coded by one or more of exons 2 7 of SCCA1 gene fused to exon 8 of SCCA2 gene.
- 6. (Original) A fusion protein according to claim 1 coded by exon 2 7 of SCCA1 gene fused to exon 8 of SCCA2 gene.
- 7. (Original) A fusion protein according to claim 4 coded by one or more of exons 2 7 of SCCA2 gene fused to exon 8 of SCCA1 gene.
- 8. (Original) A fusion protein according to claim 1 coded by exon 2 7 of SCCA2 gene fused to exon 8 of SCCA1 gene.
- 9. (Original) A fusion protein according to claim 5, wherein the protein sequence is MNSLSEANTK FMFDLFQQFR KSKENNIFYS PISITSALGM VLLGAKDNTA QQIKKVLHFD QVTENTTGKA ATYHVDRSGN VHHQFQKLLTE FNKSTDAYE

LKIANKLFGE KTYLFLQEYL DAIKKFYQTS VESVDFANAP EESRKKINSW
VESQTNEKIK NLIPEGNIGS NTTLVLVNAI YFKGQWEKKF NKEDTKEEKF
WPNKNTYKSI QMMRQYTSFH FASLEDVQAK VLEIPYKGKD LSMIVLLPNE
IDGLQKLEEK LTAEKLMEWT SLQNMRETCV DLHLPRFKME ESYDLKDTLR
TMGMVNIFNG DADLSGMTWS HGLSVSKVLH KAFVEVTEEG VEAAAATAVV
VVELSSPSTN EEFCCNHPFL FFIRQNKTNS ILFYGRFSSP

- 10. (Original) A DNA sequence sequence coding for a fusion SCCA1/SCCA2 protein.
- 11. (Original) A DNA sequence comprising the nucleotide sequence of exon 2 7 of SCCA1 fused to the nucleotide sequence of exon 8 of SCCA2.
- 12. (Original) A DNA sequence according to claim 11, wherein the nucleotide sequence is ATGAATTCAC TCAGTGAAGC CAACACCAAG TTCATGTTCG ACCTGTTCCA ACAGTTCAGA AAATCAAAAG AGAACAACAT CTTCTATTCC CCTATCAGCA TCACATCAGC ATTAGGGATG GTCCTCTTAG GAGCCAAAGA CAACACTGCA CAACAGATTA AGAAGGTTCT TCACTTTGAT CAAGTCACAG AGAACACCAC AGGAAAAGCT GCAACATATC ATGTTGATAG GTCAGGAAAT GTTCATCACC AGTTTCAAAA GCTTCTGACT GAATTCAACA AATCCACTGA TGCATATGAG CTGAAGATCG CCAACAAGCT CTTCGGAGAA AAAACGTATC TATTTTTACA GGAATATTTA GATGCCATCA AGAAATTTTA CCAGACCAGT GTGGAATCTG TTGATTTTGC AAATGCTCCA GAAGAAGTC GAAAGAAGAT TAACTCCTGG GTGGAAAGTC AAACGAATGA AAAAATTAAA AACCTAATTC CTGAAGGTAA TATTGGCAGC AATACCACAT TGGTTCTTGT GAACGCAATC TATTTCAAAG GGCAGTGGGA GAAGAAATTT AATAAAGAAG ATACTAAAGA GGAAAAAT'I'T TGGCCAAACA AGAATACATA CAAGTCCATA CAGATGATGA GGCAATACAC ATCTTTCAT TTTGCCTCGC TGGAGGATGT ACAGGCCAAG GTCCTGGAAA TACCATACAA AGGCAAAGAT CTAAGCATGA TTGTGTTGCT GCCAAATGAA ATCGATGGTC TCCAGAAG CT TGAAGAGAAA CTCACTGCTG AGAAATTGAT GGAATGGACA AGTTTGCAGA ATATGAGAGA GACATGTGTC GATTTACACT TACCTCGGTT CAAAATGGAA GAGAGCTATG ACCTCAAGGA CACGTTGAGA

ACCATGGGAA TGGTGAATAT CTTCAATGGG GATGCAGACC TCTCAGGCAT GACCTGGAGC CACGGTCTCT CAGTATCTAA AGTCCTACAC AAGGCCTTTG TGGAGGTCAC TGAGGAGGGA GTGGAAGCTG CAGCTGCCAC CGCTGTAGTA GTAGTCGAAT TATCATCTCC TTCAACTAAT GAAGAGTTCT GTTGTAATCA CCCTTTCCTA TTCTTCATAA GGCAAAATAA GACCAACAGC ATCCTCTTCT ATGGCAGATT CTCATCCCCA

- 13. (Amended) A plasmid comprising the nucleotide sequence corresponding to one or more of exons 2 7 of SCCA1 gene fused to exon 8 of SCCA2 gene.
- 14. (Amended) A plasmid comprising the nucleotide sequence corresponding to exons 2 7 of SCCA1 fused to the nucleotide sequence of exon 8 of SCCA2.
- 15. (Amended) A plasmid comprising the nucleotide sequence corresponding to one or more of exons 2-7 of SCCA2 gene fused to exon 8 of SCCAI gene.
- 16. (Amended) A plasmid comprising the nucleotide sequence corresponding to exons 2 7 of SCCA2r gene fused to exon 8 of SCCA1 gene.
- 17. (Amended) A plasmid according to [elaims 13-14] claim 13, comprising the nucleotide sequence: of claim 12 ATGAATTCAC TCAGTGAAGC CAACACCAAG TTCATGTTCG ACCTGTTCCA ACAGTTCAGA AAATCAAAAG AGAACAACAT CTTCTATTCC CCTATCAGCA TCACATCAGC ATTAGGGATG GTCCTCTTAG GAGCCAAAGA CAACACTGCA CAACAGATTA AGAAGGTTCT TCACTTTGAT CAAGTCACAG AGAACACCAC AGGAAAAGCT GCAACATATC ATGTTGATAG GTCAGGAAAT GTTCATCACC AGTTTCAAAA GCTTCTGACT GAATTCAACA AATCCACTGA TGCATATGAG CTGAAGATCG CCAACAAGCT CTTCGGAGAA AAAACGTATC TATTTTTACA GGAATATTTA GATGCCATCA AGAAATTTTA CCAGACCAGT GTGGAATCTG TTGATTTTGC AAATGCTCCA GAAGAAAGTC GAAAGAAGAT TAACTCCTGG GTGGAAAGTC AAACGAATGA AAAAATTAAA AACCTAATTC CTGAAGGTAA TATTGGCAGC AATACCACAT TGGTTCTTGT GAACGCAATC

TATTTCAAAG GGCAGTGGGA GAAGAAATTT AATAAAGAAG ATACTAAAGA
GGAAAAAT'I'T TGGCCAAACA AGAATACATA CAAGTCCATA CAGATGATGA
GGCAATACAC ATCTTTTCAT TTTGCCTCGC TGGAGGATGT ACAGGCCAAG
GTCCTGGAAA TACCATACAA AGGCAAAGAT CTAAGCATGA TTGTGTTGCT
GCCAAATGAA ATCGATGGTC TCCAGAAG CT TGAAGAGAAA CTCACTGCTG
AGAAATTGAT GGAATGGACA AGTTTGCAGA ATATGAGAGA GACATGTGTC
GATTTACACT TACCTCGGTT CAAAATGGAA GAGAGCTATG ACCTCAAGGA
CACGTTGAGA ACCATGGGAA TGGTGAATAT CTTCAATGGG GATGCAGACC
TCTCAGGCAT GACCTGGAGC CACGGTCTCT CAGTATCTAA AGTCCTACAC
AAGGCCTTTG TGGAGGTCAC TGAGGAGGGA GTGGAAGCTG CAGCTGCCAC
CGCTGTAGTA GTAGTCGAAT TATCATCTCC TTCAACTAAT GAAGAGTTCT
GTTGTAATCA CCCTTTCCTA TTCTTCATAA GGCAAAATAA GACCAACAGC
ATCCTCTTCT ATGGCAGATT CTCATCCCCA, and deposited at ECACC under deposition
number ECACC 01031315.

- 18. (Amended) A protein expression system for production of SCCAI/SCCA2 fusion protein.
- 19. (Amended) A recombinant bacteria comprising a plasmid according to [elaims 13-17] claim 13.
- 20. (Amended) A recombinant bacteria comprising a plasmid according to claim 14.
- 21. (Amended) A recombinant E. coli comprising a plasmid according to claim 13.
- 22. (Amended) A recombinant E. coli comprising a plasmid according to claim 14.
- 23. (Amended) A method for detecting the gene rearrangement forming the SCCA1/SCCA2 fusion protein using a cDNA cloning and sequencing analysis of tumor DNA.
- 24. (Amended) A method for detecting the gene rearrangement forming the SCCA2/SCCA1 fusion protein using a cDNA cloning and sequencing analysis of tumor DNA.

- 25. (Amended) A method for detecting the gene rearrangement forming the SCCA1/SCCA2 fusion protein using a Southern blot-technology applied on tumor DNA.
- 26. (Amended) A method for detecting the gene rearrangement forming the SCCA2/SCCA1 fusion protein using a Southern blot-technology applied on tumor DNA.
- 27. (Amended) <u>A</u> method for detecting the gene rearrangement forming the SCCA1/SCCA2 fusion protein using a PCR-analysis technology.
- 28. (Amended) A method for detecting the gene rearrangement forming the SCCA2/SCCA1 fusion protein using a PCR-analysis technology.
- 29. (Amended) A method for detecting the gene rearrangement forming the SCCA1/SCCA2 fusion protein using an amino acid sequencing technology.
- 30. (Amended) A method for detecting the gene rearrangement forming the SCCA2/SCCA1 fusion protein using an amino acid sequencing technology.
- 31. (Amended) A method for detection the SCCA1/A2 fusion protein using Western blotting.
- 32. (Amended)  $\underline{A}$  method for detection the SCCA2/AI fusion protein using Western blotting.
- 33. (Amended)  $\underline{A}$  monoclonal antibody specific for SCCAI/SCCA2 fusion protein.
- 34. (Amended) A monoclonal antibody specific for SCCA2/SCCAZ fusion protein.
- 35. (Amended) A polyclonal antibody reactive with SCCAI/SCCA2 fusion protein.
- 36. (Amended) A monoclonal antibody specific for SCCA2/SCCA1 fusion protein.

- 37. (Amended) An immunoassay using a monoclonal antibody or polyclonal antibody specific for SCCA1/SCCA2 fusion protein for detecting the presence and concentration of SCCA1/SCCA2 fusion protein.
- 38. (Amended) An immunoassay using a monoclonal antibody or polyclonal antibody specific for SCCA2/SCCA1 fusion protein for detecting the presence and concentration of SCCA2/SCCA1 fusion protein.
- 39. (Amended)  $\underline{A}$  method for diagnosing the presence or absence of a squamous cell carcinoma by detecting the SCCA1/SCCA2 fusion protein in a human sample.
- 40. (Amended)  $\underline{A}$  method for diagnosing the presence or absence of a squamous cell carcinoma by detecting the SCCA2/SCCA1 fusion protein in a human sample.
- 41. (Amended) A method according to [claims 39-40] claim 39, wherein the fusion protein is used in a histochemical analysis.
- 42. (Amended)  $\underline{A}$  kit comprising a SCCA1/SCCA2 fusion protein antibody to be used in the determination of the presence or absence of squamous cell carcinoma (SCC).
- 43. (Amended) A kit comprising a SCCA2/SCCA1 fusion protein antibody to be used in the determination of the presence or absence of squamous cell carcinoma (SCC).
- 44. (Amended) A kit according to [claim 42-43] claim 42, in that it further comprises antibodies related to SCCA1 and/or SCCA2.